8-1. PREQUALIFIED AND TESTED SIGNING AND DELINEATION MATERIALS

The Department maintains the following list of Prequalified and Tested Signing and Delineation Materials. The Engineer shall not be precluded from sampling and testing products on the list of Prequalified and Tested Signing and Delineation Materials.

The manufacturer of products on the list of Prequalified and Tested Signing and Delineation Materials shall furnish the Engineer a Certificate of Compliance in conformance with the provisions in Section 6-1.07, "Certificates of Compliance," of the Standard Specifications for each type of traffic product supplied.

For those categories of materials included on the list of Prequalified and Tested Signing and Delineation Materials, only those products shown within the listing may be used in the work. Other categories of products, not included on the list of Prequalified and Tested Signing and Delineation Materials, may be used in the work provided they conform to the requirements of the Standard Specifications.

Materials and products may be added to the list of Prequalified and Tested Signing and Delineation Materials if the manufacturer submits a New Product Information Form to the New Product Coordinator at the Transportation Laboratory. Upon a Departmental request for samples, sufficient samples shall be submitted to permit performance of required tests. Approval of materials or products will depend upon compliance with the specifications and tests the Department may elect to perform.

PAVEMENT MARKERS, PERMANENT TYPE

Retroreflective With Abrasion Resistant Surface (ARS)

- 1. Apex, Model 921AR (4" x 4")
- 2. Ennis Paint, Models C88 (4" x 4"), 911 (4" x 4") and 953 (2.75" x 4.5")
- 3. Ray-O-Lite, Model "AA" ARS (4" x 4")
- 4. 3M Series 290 (3.5" x 4")
- 5. 3M Series 290 PSA, with pressure sensitive adhesive pad (3.5" x 4")

Retroreflective With Abrasion Resistant Surface (ARS)

(for recessed applications only)

- 1. Ennis Paint, Model 948 (2.3" x 4.7")
- 2. Ennis Paint, Model 944SB (2" x 4")*
- 3. Ray-O-Lite, Model 2002 (2" x 4.6")
- 4. Ray-O-Lite, Model 2004 ARS (2" x 4")*

 *For use only in 4.5 inch wide (older) recessed slots

Non-Reflective, 4-inch Round

- 1. Apex Universal (Ceramic)
- 2. Apex Universal, Models 929 (ABS) and 929PP (Polypropylene)
- 3. Glowlite, Inc. (Ceramic)
- 4. Hi-Way Safety, Inc., Models P20-2000W and 2001Y (ABS)
- 5. Interstate Sales, "Diamond Back" (Polypropylene)
- 6. Novabrite Models Cdot (White) Cdot-y (Yellow), Ceramic
- 7. Novabrite Models Pdot-w (White) Pdot-y (Yellow), Polypropylene
- 8. Three D Traffic Works TD10000 (ABS), TD10500 (Polypropylene)

PAVEMENT MARKERS, TEMPORARY TYPE

Temporary Markers For Long Term Day/Night Use (180 days or less)

1. Vega Molded Products "Temporary Road Marker" (3" x 4")

Temporary Markers For Short Term Day/Night Use (14 days or less)

(For seal coat or chip seal applications, clear protective covers are required)

- 1. Apex Universal, Model 932
- 2. Filtrona Extrusion, Models T.O.M., T.R.P.M., and "HH" (High Heat)
- 3. Hi-Way Safety, Inc., Model 1280/1281
- 4. Glowlite, Inc., Model 932

STRIPING AND PAVEMENT MARKING MATERIAL

Permanent Traffic Striping and Pavement Marking Tape

- 1. Advanced Traffic Marking, Series 300 and 400
- 2. Brite-Line, Series 1000
- 3. Brite-Line, "DeltaLine XRP"
- 4. Swarco Industries, "Director 35" (For transverse application only)
- 5. Swarco Industries, "Director 60"
- 6. 3M, "Stamark" Series 380 and 5730
- 7. 3M, "Stamark" Series 420 (For transverse application only)

Temporary (Removable) Striping and Pavement Marking Tape (180 days or less)

- 1. Advanced Traffic Marking, Series 200
- 2. Brite-Line, Series 100
- 3. Garlock Rubber Technologies, Series 2000
- 4. P.B. Laminations, Aztec, Grade 102
- 5. Swarco Industries, "Director-2"
- 6. Trelleborg Industries, R140 Series
- 7. 3M Series 620 "CR", and Series A750
- 8. 3M Series A145, Removable Black Line Mask (Black Tape: for use only on Hot mix asphalt surfaces)
- 9. Advanced Traffic Marking Black "Hide-A-Line" (Black Tape: for use only on Hot mix asphalt surfaces)
- 10. Brite-Line "BTR" Black Removable Tape
 - (Black Tape: for use only on Hot mix asphalt surfaces)
- 11. Trelleborg Industries, RB-140

(Black Tape: for use only on Hot mix asphalt surfaces)

Preformed Thermoplastic (Heated in place)

- 1. Flint Trading Inc., "Hot Tape"
- 2. Flint Trading Inc., "Premark Plus"
- 3. Ennis Paint Inc., "Flametape"

Ceramic Surfacing Laminate, 6" x 6"

1. Highway Ceramics, Inc.

CLASS 1 DELINEATORS

One Piece Driveable Flexible Type, 66-inch

- 1. Filtrona Extrusion, "Flexi-Guide Models 400 and 566"
- 2. Carsonite, Curve-Flex CFRM-400
- 3. Carsonite, Roadmarker CRM-375
- 4. FlexStake, Model 654 TM
- 5. GreenLine Model CGD1-66

Special Use Type, 66-inch

- 1. Filtrona Extrusion, Model FG 560 (with 18-inch U-Channel base)
- 2. Carsonite, "Survivor" (with 18-inch U-Channel base)
- 3. Carsonite, Roadmarker CRM-375 (with 18-inch U-Channel base)
- 4. FlexStake, Model 604
- 5. GreenLine Model CGD (with 18-inch U-Channel base)
- 6. Impact Recovery Model D36, with #105 Driveable Base
- 7. Safe-Hit with 8-inch pavement anchor (SH248-GP1)
- 8. Safe-Hit with 15-inch soil anchor (SH248-GP2) and with 18-inch soil anchor (SH248-GP3)

Surface Mount Type, 48-inch

- 1. Bent Manufacturing Company, Masterflex Model MF-180EX-48
- 2. Carsonite, "Channelizer"
- 3. FlexStake, Models 704, 754 TM, and EB4
- 4. Impact Recovery Model D48, with #101 Fixed (Surface-Mount) Base
- 5. Three D Traffic Works "Channelflex" ID No. 522248W

CHANNELIZERS

Surface Mount Type, 36-inch

- 1. Bent Manufacturing Company, Masterflex Models MF-360-36 (Round) and MF-180-36 (Flat)
- 2. Filtrona Extrusion, Flexi-Guide Models FG300PE, FG300UR, and FG300EFX
- 3. Carsonite, "Super Duck" (Round SDR-336)
- 4. Carsonite, Model SDCF03601MB "Channelizer"
- 5. FlexStake, Models 703, 753 TM, and EB3
- 6. GreenLine, Model SMD-36
- 7. Hi-way Safety, Inc. "Channel Guide Channelizer" Model CGC36
- 8. Impact Recovery Model D36, with #101 Fixed (Surface-Mount) Base
- 9. Safe-Hit, Guide Post, Model SH236SMA
- 10. Three D Traffic Works "Boomerang" ID No. 522053W

Lane Separation System

- 1. Filtrona Extrusion, "Flexi-Guide (FG) 300 Curb System"
- 2. Qwick Kurb, "Klemmfix Guide System"
- 3. Dura-Curb System

CONICAL DELINEATORS, 42-inch

(For 28-inch Traffic Cones, see Standard Specifications)

- 1. Bent Manufacturing Company "T-Top"
- 2. Plastic Safety Systems "Navigator-42"
- 3. TrafFix Devices "Grabber"
- 4. Three D Traffic Works "Ringtop" TD7000, ID No. 742143
- 5. Three D Traffic Works, TD7500

OBJECT MARKERS

Type "K", 18-inch

- 1. Filtrona Extrusion, Model FG318PE
- 2. Carsonite, Model SMD 615
- 3. FlexStake, Model 701 KM
- 4. Safe-Hit, Model SH718SMA

Type "K-4" / "Q" Object Markers, 24-inch

- 1. Bent Manufacturing "Masterflex" Model MF-360-24
- 2. Filtrona Extrusion, Model FG324PE
- 3. Carsonite, "Channelizer"
- 4. FlexStake, Model 701KM
- 5. Safe-Hit, Models SH824SMA_WA and SH824GP3_WA
- 6. Three D Traffic Works ID No. 531702W and TD 5200
- 7. Three D Traffic Works ID No. 520896W

CONCRETE BARRIER MARKERS AND TEMPORARY RAILING (TYPE K) REFLECTORS

Impactable Type

- 1. ARTUK, "FB"
- 2. Filtrona Extrusion, Models PCBM-12 and PCBM-T12
- 3. Duraflex Corp., "Flexx 2020" and "Electriflexx"
- 4. Hi-Way Safety, Inc., Model GMKRM100
- 5. Plastic Safety Systems "BAM" Models OM-BARR and OM-BWAR
- 6. Three D Traffic Works "Roadguide" Model TD 9304

Non-Impactable Type

- 1. ARTUK, JD Series
- 2. Plastic Safety Systems "BAM" Models OM-BITARW and OM-BITARA
- 3. Vega Molded Products, Models GBM and JD
- 4. Plastic Vacuum Forming, "Cap-It C400"

METAL BEAM GUARD RAIL POST MARKERS

(For use to the left of traffic)

- 1. Filtrona Extrusion, "Mini" (3" x 10")
- 2. Creative Building Products, "Dura-Bull, Model 11201"
- 3. Duraflex Corp., "Railrider"
- 4. Plastic Vacuum Forming, "Cap-It C300"

CONCRETE BARRIER DELINEATORS, 16-inch

(For use to the right of traffic)

- 1. Filtrona Extrusion, Model PCBM T-16
- 2. Safe-Hit, Model SH216RBM

CONCRETE BARRIER-MOUNTED MINI-DRUM (10" x 14" x 22")

1. Stinson Equipment Company "SaddleMarker"

GUARD RAILING DELINEATOR

(Place top of reflective element at 48 inches above plane of roadway)

Wood Post Type, 27-inch

- 1. Filtrona Extrusion, FG 427 and FG 527
- 2. Carsonite, Model 427
- 3. FlexStake, Model 102 GR
- 4. GreenLine GRD 27
- 5. Safe-Hit, Model SH227GRD
- 6. Three D Traffic Works "Guardflex" TD9100
- 7. New Directions Mfg, NDM27

Steel Post Type

1. Carsonite, Model CFGR-327

RETROREFLECTIVE SHEETING

Channelizers, Barrier Markers, and Delineators

- 1. Avery Dennison T-6500 Series (For rigid substrate devices only)
- 2. Avery Dennison WR-7100 Series
- 3. Nippon Carbide Industries, Flexible Ultralite Grade (ULG) II
- 4. Reflexite, PC-1000 Metalized Polycarbonate
- 5. Reflexite, AC-1000 Acrylic
- 6. Reflexite, AP-1000 Metalized Polyester
- 7. Reflexite, Conformalight, AR-1000 Abrasion Resistant Coating
- 8. 3M, High Intensity

Traffic Cones, 4-inch and 6-inch Sleeves

- 1. Nippon Carbide Industries, Flexible Ultralite Grade (ULG) II
- 2. Reflexite, Vinyl, "TR" (Semi-transparent) or "Conformalight"
- 3. 3M Series 3840
- 4. Avery Dennison S-9000C

Drums

- 1. Avery Dennison WR-6100
- 2. Nippon Carbide Industries, Flexible Ultralite Grade (ULG) II
- 3. Reflexite, "Conformalight", "Super High Intensity" or "High Impact Drum Sheeting"
- 4. 3M Series 3810

Barricades: Type I, Medium-Intensity (Typically Enclosed Lens, Glass-Bead Element)

- 1. Nippon Carbide Industries, CN8117
- 2. Avery Dennison, W 1100 series

3. 3M Series CW 44

Barricades: Type II, Medium-High-Intensity (Typically Enclosed Lens, Glass-Bead Element)

1. Avery Dennison, W-2100 Series

Signs: Type II, Medium-High-Intensity (Typically Enclosed Lens, Glass-Bead Element)

- 1. Avery Dennison, T-2500 Series
- 2. Nippon Carbide Industries, Nikkalite 18000

Signs: Type III, High-Intensity (Typically Encapsulated Glass-Bead Element)

- 1. Avery Dennison, T-5500A and T-6500 Series
- 2. Nippon Carbide Industries, Nikkalite Brand Ultralite Grade II
- 3. 3M 3870 and 3930 Series

Signs: Type IV, High-Intensity (Typically Unmetallized Microprismatic Element)

- 1. Avery Dennison, T-6500 Series
- 2. Nippon Carbide Industries, Crystal Grade, 94000 Series
- 3. Nippon Carbide Industries, Model No. 94847 Fluorescent Orange
- 4. 3M Series 3930 and Series 3924S

Signs: Type VI, Elastomeric (Roll-Up) High-Intensity, without Adhesive

- 1. Avery Dennison, WU-6014
- 2. Novabrite LLC, "Econobrite"
- 3. Reflexite "Vinyl"
- 4. Reflexite "SuperBright"
- 5. Reflexite "Marathon"
- 6. 3M Series RS20

Signs: Type VII, Super-High-Intensity (Typically Unmetallized Microprismatic Element)

- 1. 3M Series 3924S, Fluorescent Orange
- 2. 3M LDP Series 3970

Signs: Type VIII, Super-High-Intensity (Typically Unmetallized Microprismatic Element)

- 1. Avery Dennison, T-7500 Series
- 2. Avery Dennison, T-7511 Fluorescent Yellow
- 3. Avery Dennison, T-7513 Fluorescent Yellow Green
- 4. Avery Dennison, W-7514 Fluorescent Orange
- 5. Nippon Carbide Industries, Nikkalite Crystal Grade Series 92800
- 6. Nippon Carbide Industries, Nikkalite Crystal Grade Model 92847 Fluorescent Orange

Signs: Type IX, Very-High-Intensity (Typically Unmetallized Microprismatic Element)

1. 3M VIP Series 3981 Diamond Grade Fluorescent Yellow

- 2. 3M VIP Series 3983 Diamond Grade Fluorescent Yellow/Green
- 3. 3M VIP Series 3990 Diamond Grade
- 4. Avery Dennison T-9500 Series
- 5. Avery Dennison, T9513, Fluorescent Yellow Green
- 6. Avery Dennison, W9514, Fluorescent Orange

SPECIALTY SIGNS

1. Reflexite "Endurance" Work Zone Sign (with Semi-Rigid Plastic Substrate)

ALTERNATIVE SIGN SUBSTRATES

Fiberglass Reinforced Plastic (FRP) and Expanded Foam PVC

- 1. Fiber-Brite (FRP)
- 2. Sequentia, "Polyplate" (FRP)
- 3. Inteplast Group "InteCel" (0.5 inch for Post-Mounted CZ Signs, 48-inch or less)(PVC)

Aluminum Composite, Temporary Construction Signs Only

- 1. Alcan Composites "Dibond Material, 80 mils"
- 2. Mitsubishi Chemical America, Alpolic 350